```
ANSWER 1 OF 7 REGISTRY COPYRIGHT 2008 ACS on STN
RN
    956116-90-8 REGISTRY
ED
    Entered STN: 28 Nov 2007
    6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-
    dihydroxy-, magnesium salt (2:1), (3R,5S,6E)- (CA INDEX NAME)
OTHER NAMES:
CN
    Pitavastatin magnesium
```

FS STEREOSEARCH

C25 H24 F N O4 . 1/2 Mg MF

SR

L1

LC STN Files: CA, CAPLUS

CRN (147511-69-1)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

●1/2 Mg

- 2 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
- 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L1ANSWER 2 OF 7 REGISTRY COPYRIGHT 2008 ACS on STN

RN574705-92-3 REGISTRY

Entered STN: 28 Aug 2003

6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5dihydroxy-, sodium salt (1:1), (3R,5S,6E)- (CA INDEX NAME)

OTHER CA INDEX NAMES:

6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5dihydroxy-, monosodium salt, (3R,5S,6E)- (9CI)

OTHER NAMES:

CN Pitavastatin sodium

FS STEREOSEARCH

MFC25 H24 F N O4 . Na

SR CA

LC: STN Files: CA, CAPLUS, CASREACT, USPAT2, USPATFULL

CRN (147511-69-1)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

Na

5 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

5 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L1 ANSWER 3 OF 7 REGISTRY COPYRIGHT 2008 ACS on STN

RN 192565-91-6 REGISTRY

ED Entered STN: 14 Aug 1997

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, potassium salt (1:1), (3R,5S,6E)- (CA INDEX NAME)
OTHER CA INDEX NAMES:

CN Pitavastatin potassium

FS STEREOSEARCH

MF C25 H24 F N O4 . K

SR CA

LC STN Files: CA, CAPLUS, IMSPATENTS, IMSRESEARCH, PROUSDDR, SYNTHLINE CRN (147511-69-1)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

● K

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L1 ANSWER 4 OF 7 REGISTRY COPYRIGHT 2008 ACS on STN

RN 167073-19-0 REGISTRY

ED Entered STN: 31 Aug 1995

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, ethyl ester, (3R,5S,6E)- (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, ethyl ester, [S-[R*,S*-(E)]]-OTHER NAMES:

CN (3R,5S,6E)-7-[2-Cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-6-heptenoic acid ethyl ester

CN 3R,5S-DOLE

CN Ethyl (3R,5S,6E)-7-[2-cyclopropyl-4-(4-fluorophenyl)quinolin-3-yl]-3,5-dihydroxy-6-heptenoate

CN Pitavastatin ethyl ester

CN [3R,5S(E)]-Ethyl 7-[2-cyclopropyl-4-(p-fluorophenyl)quinolin-3-yl]-3,5-dihydroxy-6-heptenoate

FS STEREOSEARCH

MF C27 H28 F N O4

SR CA

LC STN Files: CA, CAPLUS, CASREACT, PS, USPAT2, USPATFULL

Absolute stereochemistry.

Double bond geometry as shown.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

15 REFERENCES IN FILE CA (1907 TO DATE)

15 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L1 ANSWER 5 OF 7 REGISTRY COPYRIGHT 2008 ACS on STN

RN 147526-32-7 REGISTRY

ED Entered STN: 13 May 1993

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, calcium salt (2:1), (3R,5S,6E)- (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, calcium salt (2:1), [S-[R*,S*-(E)]]-OTHER NAMES:

CN (E)-(3R,5S)-7-[2-Cyclopropyl-4-(4-fluorophenyl)quinolin-3-yl]-3,5-dihydroxyhept-6-enoic acid hemicalcium salt

CN Flovas

CN Livalo

CN NK 104

```
NK 104 (acid)
CN
CN
     Pitava
CN
     Pitava 1
     Pitavastatin calcium
CN
CN
     Pitavastatin hemicalcium
FS
     STEREOSEARCH
MF
     C25 H24 F N O4 . 1/2 Ca
SR
     CA
     STN Files:
                 ADISINSIGHT, ADISNEWS, ANABSTR, BIOSIS, BIOTECHNO, CA,
LC
       CAPLUS, CASREACT, CBNB, CHEMCATS, CIN, CSCHEM, EMBASE, IMSPATENTS,
       IMSRESEARCH, IPA, MEDLINE, MRCK*, PHAR, PROMT, PROUSDDR, PS, RTECS*,
       SCISEARCH, SYNTHLINE, TOXCENTER, USPAT2, USPATFULL
         (*File contains numerically searchable property data)
CRN
     (147511 - 69 - 1)
```

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

●1/2 Ca

FS

MF

CI

SR

LC

STEREOSEARCH

STN Files:

COM

CA

C25 H24 F N O4

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

```
113 REFERENCES IN FILE CA (1907 TO DATE)
               1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
             114 REFERENCES IN FILE CAPLUS (1907 TO DATE)
L1
     ANSWER 6 OF 7 REGISTRY COPYRIGHT 2008 ACS on STN
RN
     147511-69-1 REGISTRY
     Entered STN: 13 May 1993
ED
     6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-
     dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)
OTHER CA INDEX NAMES:
     6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-
     dihydroxy-, [S-[R*,S*-(E)]]-
OTHER NAMES:
     (+) - (3R, 5S, 6E) - 7 - [2 - Cyclopropyl - 4 - (4 - fluorophenyl) - 3 - quinolyl] - 3, 5 -
CN
     dihydroxy-6-heptenoic acid
CN
     (3R,5S,6E)-7-[2-Cyclopropyl-4-(4-fluorophenyl)quinolin-3-yl]-3,5-
     dihydroxyhept-6-enoic acid
CN
     NK 104
CN
     Pitavastatin
```

ADISINSIGHT, AGRICOLA, BIOSIS, CA, CAPLUS, CBNB, CHEMCATS,

CIN, CSCHEM, IMSDRUGNEWS, IMSPATENTS, IMSPRODUCT, IMSRESEARCH, IPA,

MRCK*, PROMT, PROUSDDR, PS, RTECS*, SYNTHLINE, TOXCENTER, USAN, USPAT2, USPATFULL

(*File contains numerically searchable property data)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

547 REFERENCES IN FILE CA (1907 TO DATE)

17 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

552 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION
20.07 20.28

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 11:15:00 ON 01 APR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 Apr 2008 VOL 148 ISS 14 FILE LAST UPDATED: 31 Mar 2008 (20080331/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 147511-69-1/rn <> or pitavastatin? MISSING TERM '-69-1/RN <> OR' The search profile that was entered contains a logical operator followed immediately by another operator.

=> s l1 <> or pitavastatin?

SmartSELECT INITIATED
New TRANSFER and ANALYZE Commands Now Available
See HELP TRANSFER and HELP ANALYZE for Details

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.48 20.76

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 11:15:46 ON 01 APR 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 American Chemical Society (ACS)

SET SMARTSELECT ON SET COMMAND COMPLETED

SEL L1 1-

L4

L2 SEL L1 1- CHEM: 33 TERMS

SET SMARTSELECT OFF SET COMMAND COMPLETED

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 12.11 32.87

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 11:15:47 ON 01 APR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

S L2 OR PITAVASTATIN?

515 PITAVASTATIN? 725 L3 OR PITAVASTATIN?

=> s 14 and pd <-2002 21909301 PD <-2002

(PD<20020000) L5 102 L4 AND PD <-2002

=> s 14 and pd <=2002 22882229 PD <=2002

(PD<=20029999)

L6 168 L4 AND PD <=2002

=> delete 15
DELETE L5? (Y)/N:y
'L5' DELETED

=> s 16 and (antithromb? or thrombus OR "Anticoagulants" OR "Anticoagulants" OR "Thrombus" and "Blood clot" OR "Thrombus and(or) Blood clot" OR "Thrombus" OR "Blood coagulation" OR "Platelet (blood)" OR "Platelet aggregation" or thrombosis or plasminogen or plasmin)

24886 ANTITHROMB?

9637 THROMBUS

2 THROMBUSES

2746 THROMBI

16 THROMBIS

11113 THROMBUS

```
(THROMBUS OR THROMBUSES OR THROMBI OR THROMBIS)
  25082 "ANTICOAGULANTS"
  25082 "ANTICOAGULANTS"
   9637 "THROMBUS"
      2 "THROMBUSES"
   2746 "THROMBI"
     16 "THROMBIS"
  11113 "THROMBUS"
         ("THROMBUS" OR "THROMBUSES" OR "THROMBI" OR "THROMBIS")
1371783 "BLOOD"
   1293 "BLOODS"
1371932 "BLOOD"
         ("BLOOD" OR "BLOODS")
   9827 "CLOT"
   3600 "CLOTS"
  11823 "CLOT"
          ("CLOT" OR "CLOTS")
   3669 "BLOOD CLOT"
         ("BLOOD"(W)"CLOT")
   9637 "THROMBUS"
     2 "THROMBUSES"
   2746 "THROMBI"
    16 "THROMBIS"
  11113 "THROMBUS"
         ("THROMBUS" OR "THROMBUSES" OR "THROMBI" OR "THROMBIS")
     0 "AND"
    293 "ANDS"
    293 "AND"
          ("AND" OR "ANDS")
     0 "OR"
   2016 "ORS"
   2016 "OR"
         ("OR" OR "ORS")
1371783 "BLOOD"
   1293 "BLOODS"
1371932 "BLOOD"
         ("BLOOD" OR "BLOODS")
   9827 "CLOT"
   3600 "CLOTS"
  11823 "CLOT"
          ("CLOT" OR "CLOTS")
      0 "THROMBUS AND (OR) BLOOD CLOT"
         ("THROMBUS"(W)"AND"(W)"OR"(W)"BLOOD"(W)"CLOT")
   9637 "THROMBUS"
     2 "THROMBUSES"
   2746 "THROMBI"
     16 "THROMBIS"
  11113 "THROMBUS"
         ("THROMBUS" OR "THROMBUSES" OR "THROMBI" OR "THROMBIS")
1371783 "BLOOD"
   1293 "BLOODS"
1371932 "BLOOD"
         ("BLOOD" OR "BLOODS")
 115789 "COAGULATION"
    218 "COAGULATIONS"
 115860 "COAGULATION"
          ("COAGULATION" OR "COAGULATIONS")
  50273 "BLOOD COAGULATION"
         ("BLOOD"(W) "COAGULATION")
 118884 "PLATELET"
 57892 "PLATELETS"
 135820 "PLATELET"
         ("PLATELET" OR "PLATELETS")
1371783 "BLOOD"
   1293 "BLOODS"
1371932 "BLOOD"
```

```
22349 "PLATELET (BLOOD)"
                 ("PLATELET" (W) "BLOOD")
        118884 "PLATELET"
         57892 "PLATELETS"
        135820 "PLATELET"
                 ("PLATELET" OR "PLATELETS")
        118485 "AGGREGATION"
          2418 "AGGREGATIONS"
        120065 "AGGREGATION"
                 ("AGGREGATION" OR "AGGREGATIONS")
         30869 "PLATELET AGGREGATION"
                 ("PLATELET" (W) "AGGREGATION")
         27392 THROMBOSIS
             1 THROMBOSISES
         27393 THROMBOSIS
                 (THROMBOSIS OR THROMBOSISES)
         31041 PLASMINOGEN
           180 PLASMINOGENS
         31051 PLASMINOGEN
                 (PLASMINOGEN OR PLASMINOGENS)
         12320 PLASMIN
            67 PLASMINS
         12330 PLASMIN
                 (PLASMIN OR PLASMINS)
L7
            15 L6 AND (ANTITHROMB? OR THROMBUS OR "ANTICOAGULANTS" OR "ANTICOA
               GULANTS" OR "THROMBUS" AND "BLOOD CLOT" OR "THROMBUS AND (OR)
               BLOOD CLOT" OR "THROMBUS" OR "BLOOD COAGULATION" OR "PLATELET
               (BLOOD) " OR "PLATELET AGGREGATION" OR THROMBOSIS OR PLASMINOGEN
               OR PLASMIN)
=> focus
PROCESSING COMPLETED FOR L7
             15 FOCUS L7 1-
=> d ibib abs hitstr 1-15
    ANSWER 1 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN
T.8
ACCESSION NUMBER:
                         2001:171636 CAPLUS
DOCUMENT NUMBER:
                         135:147210
TITLE:
                         General pharmacological study of an
                         anti-hyperlipidemic agent, NK-104
                         Yoshinaka, Yasunobu; Suzuki, Hideo; Tamaki, Taro;
AUTHOR(S):
                         Sato, Fumiyasu; Wada, Yasushi
CORPORATE SOURCE:
                         Tokyo Res. Lab. Pharmaceutical Div., Kowa Company
                         Ltd., Japan
SOURCE:
                         Japanese Pharmacology & Therapeutics (2001),
                         29(1), 59-72
                         CODEN: JPTABU
PUBLISHER:
                         Raifu Saiensu Shuppan K.K.
DOCUMENT TYPE:
                         Journal
LANGUAGE:
                         Japanese
     The general pharmacol. of NK-104, a new competitive
     inhibitor of 3-hydroxy-3-ethyl-qlutaryl CoA (HMG-CoA) reductase, was
     studied in exptl. animals. NK-104 (3-30 mg/kg, p.o.)
     had no significant effects on the gross behavior, spontaneous locomotor
     activity, hexobarbital-induced anesthesia, electroshock seizure,
     pentylenetetrazol-induced convulsions in mice and body temperature in rats,
and
     it did not influence on muscle relaxation in mice. In the analgesic
     measurement, NK-104 (10-30 mg/kg) inhibited the acetic
     acid-induced writhing in mice, but had no effects on the tail pinch
     response of Haffner method at the same dose in mice. With respect to
     smooth muscle response, NK-104 significantly inhibited
     the acetylcholine-, histamine- and barium chloride-induced contractions in
     isolated guinea pig ileum at a concentration of 10-4 M. Concerning the
```

("BLOOD" OR "BLOODS")

respiratory and cardiovascular system, NK-104 (0.3-3 mg/kg, i.v.) had no effect on respiration, blood pressure, heart rate, eCG, femoral blood flow, acetylcholine-induced depressor response and norepinephrine induced pressor response in anesthetized dogs. In the digestive system, NK-104 had no effect on the intestinal propulsion in mice, on gastric secretion and bile secretion in rats, and it did not induce gastric lesions in rats. Repeated administration of NK-104 (3 mg/kg/day, p.o. for 15 days) to guinea pigs caused no effect on the lithogenic index of bile irresp. of the reduction of the plasma cholesterol level. With respect to

t.he

influence of NK-104 on urinary system, NK-104 reduced the Na+ and Cl- excretion at doses of 10 and 30 mg/kg and reduced the urinary volume at a dose of 30 mg/kg. In addition, NK -104 did not affect the blood coagulation and platelet aggregation at the concentration of 10-7-10-4 M. From above results the changes observed in those parameters were slight or mild and each ineffective dose or concentration was higher than the min. hypolipidemic dose (0.1 mg/kg, p.o.) or Ki value (1.7 nM). Therefore, it seemed that NK-104 would be free from any serious acute adverse effects clin.

ΙT 147526-32-7, NK-104


> RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(general pharmacol. study of anti-hyperlipidemic agent NK-104)

147526-32-7 CAPLUS RN

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5dihydroxy-, calcium salt (2:1), (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.



●1/2 Ca

ANSWER 2 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:392219 CAPLUS

DOCUMENT NUMBER: 136:406945

TITLE: Methods for in vivo drug delivery based on monitoring

blood flow parameters

INVENTOR(S): Kensey, Kenneth R.

PATENT ASSIGNEE(S): USA

U.S. Pat. Appl. Publ., 40 pp., Cont.-in-part of U.S. Ser. No. 727,950. SOURCE:

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: Engage FAMILY ACC. NUM. COUNT: 8 PATENT INFORMATION: English

PAT	PATENT NOUS 20020061835				KIN		DATE			APF	LI,	CAT	ION :			D	ATE		
US CA	601973 230116 991072 W: A	35 61 24 AL, DK, KP,	AM, EE, KR, NZ,	ES, KZ, PL,	A1 A1 A2 AU, FI, LC,	AZ, GB, LK, RO,	2002 2000 1999 1999 BA, GE, LR, RU,	0201 0304 0304 BB, GH, LS,	BG, GM, LT,	US CA WO BR HR	19 19 19 R,	97-1 98-1 98-1 BY, HU, LV,	ID, MD,	61 06 161 657 CH, IL,	CN, IS,	1 1 CU, JP, MN,	KE,	828 826 826 DE, KG, MX,	< <
	RW: (GH, IJ, MC,	GM, TM,	KE, AT, PT,	LS, BE,	MW, CH,	SD, CY, BJ,	DE,	DK,	ES	,	FΙ,	FR,	GB,	GR,	IE,	ΙΤ,	LU,	
	200100	002	01	10	A2		2001			HU	20	01-	201			1	9980	826	<
NZ JP US US NO MX US WO	200100 50290! 200153 632252 200000 200002 642848 200200 200200	5 143 24 25 009 207 88 095	84 44 3 83 83		A3 A T B1 A A B1 A2		2004 2001 2001 2001 2001 2000 2001 2002 2002 2002	0831 0911 1127 1127 0225 0821 0806 0207 0425		JP US US NO MX US WO	20 19 20 20 20 20	00- 99- 00- 00- 00- 00-	2073 6153 US23	94 95 56 40 696		1 2 2 2 2 2 2	9980 9980 9991 0000 0000 0000 0010	826 112 210 225 228 712 730	< < < < < < <
) []]	CO, GM, LS, RO, UZ, CF,	CR, HR, LT, RU, VN, CG,	CU, HU, LU, SD, YU,	CZ, ID, LV, SE,	DE, IL, MA, SG, ZW, GA,	AU, DK, IN, MD, SI, SZ, GN, 2002 2003	DM, IS, MG, SK, BE, GQ,	DZ, JP, MK, SL, CY, GW,	EC KE MN TJ FR ML	;, i, i,	EE, KG, MW, TM, GR, MR,	ES, KP, MX, TR, IE,	FI, KR, MZ, TT, IT, SN,	GB, KZ, NO, TZ, MC,	GD, LC, NZ, UA, NL, TG	GE,	GH, LR, PT, US, BJ,	
	((] I		CR, HR, LT,	CU, HU,	CZ, ID, LV, SD,	DE, IL, MA,	AU, DK, IN, MD, SG,	DM, IS, MG,	DZ, JP, MK,	EC KE MN	; ; ;	EE, KG, MW,	ES, KP, MX,	FI, KR, MZ,	GB, KZ, NO,	GD, LC, NZ,	GE, LK,	GH, LR, PL,	
	RW: (GH, KZ, IE,	GM, MD, IT,	KE, RU, LU,	LS, TJ, MC,	MW, TM, NL,	MZ, AT, PT, SN,	BE, SE,	CH,	CY	,	DE,	DK,	ES,	FΙ,	FR,	GB,	GR,	
US	200202 200200 662443	2699 0889	86	ML,	A A1 B2		2002 2002 2003	0611 0711					2698 3384				0011 0011		
WO	20020	797			A2 A3		2002 2003	1010		WO	20	02-1	US39	84		2	0020	207	<
	₩: Ā (()	AE, CO, GM, LS,	AG, CR, HR, LT, RO,	CU, HU,	AM, CZ, ID, LV, SD,	AT, DE, IL, MA, SE,	AU, DK, IN, MD, SG,	AZ, DM, IS, MG,	DZ, JP, MK,	EC KE MN	; ; ;	EE, KG, MW,	ES, KP, MX,	FI, KR, MZ,	GB, KZ, NO,	GD, LC, NZ,	GE, LK, PH,	GH, LR, PL,	
	RW: (ЭН,	GM, MD, IT,	KE, RU, LU,	LS, TJ, MC,	MW, TM, NL,	MZ, AT, PT, SN,	BE, SE,	CH, TR,	CY	,	DE,	DK,	ES,	FI,	FR,	GB,	GR,	
	200203 657160	1849		-,	A1 B2		2002	1212		US	20	02-	1561	65		2	0020	528	<

PRIORITY APPLN.	INFO.:	TTC	1997-919906	7/2	19970828
FRIORIII AFFLN.	INFO.:				
		US	1999-439795	A2	19991112
		US	2000-501856	Α2	20000210
		US	2000-628401	Α2	20000801
		US	2000-727950	Α2	20001201
		US	1997-966076	Α	19971107
		WO	1998-US17657	W	19980826
		US	2000-615340	АЗ	20000712
		US	2000-228612P	P	20000828
		US	2001-789350	В2	20010221
		US	2001-819924	Α	20010328
		US	2001-828761	Α	20010409
		US	2001-839785	Α	20010420
		US	2001-841389	Α	20010424
		US	2001-897164	АЗ	20010702
		WO	2001-US44352	W	20011127

 ${\tt AB}$ Various methods are provided for determining and utilizing the viscosity of the

circulating blood of a living being over a range of shear rates for diagnostics and treatment, such as detecting/reducing blood viscosity, work of the heart, contractility of the heart, for detecting/reducing the surface tension of the blood, for detecting plasma viscosity, for explaining/countering endothelial cell dysfunction, for providing high and low blood vessel wall shear stress data, red blood cell deformability data, lubricity of blood, and for treating different ailments such as peripheral arterial disease in combination with administering to a living being at least one pharmaceutically acceptable agent. Agents pharmaceutically effective to regulate at least one of the aforementioned blood parameters are used to adjust distribution of a substance through the bloodstream.


IT 147511-69-1, Pitavastatin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (methods for in vivo drug delivery based on monitoring blood flow parameters)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.



L8 ANSWER 3 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:185688 CAPLUS

DOCUMENT NUMBER: 136:252567

TITLE: Methods for drug administration and distribution based

on monitoring blood viscosity and other parameters for

diagnostics and treatment

INVENTOR(S):
Kensey, Kenneth

PATENT ASSIGNEE(S): USA

U.S. Pat. Appl. Publ., 46 pp., Cont.-in-part of U.S. Ser. No. 819,924. CODEN: USXXCO SOURCE:

Patent English DOCUMENT TYPE: LANGUAGE:

FAMILY ACC. NUM. COUNT: 8
PATENT INFORMATION:

PATENT N	0.		KIN		DATE			APPL	ICAT	ION	ΝΟ.		D.	ATE		
	35 61	ES, KZ,	A1 A A1 A2 AU, FI, LC,	AZ, GB, LK,	2000 1999 1999 BA, GE, LR,	GH, LS,	BG, GM, LT,	HR, LU,	997- 998- 998- BY, HU, LV,	9199 2301 US17 CA, ID, MD,	06 161 657 CH, IL, MG,	IS, MK,	1 1 CU, JP, MN,	KE, MW,	828 826 826 DE, KG, MX,	< <
RW:	UA, UG, GH, GM, TJ, TM, MC, NL, SN, TD,	KE, AT, PT,	LS, BE,	MW, CH,	SD, CY,	DE,	DK,	ES,	FΙ,	FR,	GB,	GR,	ΙE,	IT,	LU,	
HU 20010	00201		A2			0528		HU 2	001-	201			1	9980	826	<
HU 20010 NZ 50290 JP 20015 US 63225 US 63225 NO 20000 MX 20000 US 64284 WO 20020 WO 20020	5 14384 24 25 00944 2073 88 09583		A3 A T B1 A A B1 A2 A3		2004 2001 2001 2001 2000 2001 2002 2002	0831 0911 1127 1127 0225 0821 0806 0207		NZ 1 JP 2 US 1 US 2 NO 2 MX 2 US 2 WO 2	000- 999- 000- 000- 000-	5079 4397 5018 944 2073 6153	94 95 56 40		1 2 2 2 2	9980 9980 9991 0000 0000 0000	826 112 210 225 228 712	< < < <
	AE, AG, CO, CR, GM, HR, LS, LT, RO, RU, UZ, VN, CF, CG, 088953	CU, HU, LU, SD, YU,	CZ, ID, LV, SE, ZA,	DE, IL, MA, SG, ZW,	DK, IN, MD, SI, SZ,	DM, IS, MG, SK, BE, GQ,	DZ, JP, MK, SL, CY, GW,	EC, KE, MN, TJ, FR,	EE, KG, MW, TM, GR, MR,	ES, KP, MX, TR, IE, NE,	FI, KR, MZ, TT, IT, SN,	GB, KZ, NO, TZ, MC,	GD, LC, NZ, UA, NL, TG	GE, LK, PL, UG,	GH, LR, PT, US, BJ,	
US 66244 WO 20020			B2 A2		2003 2002			WO 2	002-	US39	84		2	0020	207	<
WO 20020 W:	79778 AE, AG,	Δ .Τ.	АЗ ъм	ΔТ	2003		RΔ	RR	BG	BB	RY	B7.	$C\Delta$	СН	CN	
	CO, CR, GM, HR, LS, LT, PT, RO, UZ, VN,	CU, HU, LU, RU,	CZ, ID, LV, SD,	DE, IL, MA, SE,	DK, IN, MD,	DM, IS, MG,	DZ, JP, MK,	EC, KE, MN,	EE, KG, MW,	ES, KP, MX,	FI, KR, MZ,	GB, KZ, NO,	GD, LC, NZ,	GE, LK, PH,	GH, LR, PL,	
RW:	GH, GM, KZ, MD, IE, IT, GQ, GW,	KE, RU, LU,	LS, TJ, MC,	MW, TM, NL,	AT, PT, SN,	BE, SE, TD,	CH, TR, TG	CY,	DE,	DK,	ES,	FI,	FR, CM,	GB, GA,	GR, GN,	
US 20020 US 65716			A1 B2		2002 2003	1212 0603		US 2	002-	1561	65		2	0020	528	<
PRIORITY APPL		.:				- 3 3		US 1 US 2 US 2 US 2 US 2 US 2 US 1 WO 1	999- 000- 000- 000- 001- 997- 998-	4397 5018 6284 7279 8199 9660 US17	95 56 01 50 24 76 657			9991 0000 0000 0001 0010 9971 9980	112 210 801 201 328 107 826	

US	2000-228612P	P	20000828
US	2001-789350	В2	20010221
US	2001-828761	Α	20010409
US	2001-839785	Α	20010420
US	2001-841389	Α	20010424
US	2001-897164	АЗ	20010702

AB Various methods are provided for determining and utilizing the viscosity of the

circulating blood of a living being, i.e., a human, over a range of shear rates for diagnostics and treatment, such as detecting/reducing blood viscosity, work of the heart, contractility of the heart, for detecting/reducing the surface tension of the blood, for detecting plasma viscosity, for explaining/countering endothelial cell dysfunction, for providing high and low blood vessel wall shear stress data, red blood cell deformability data, lubricity of blood, and for treating different ailments such as peripheral arterial disease in combination with administering to a living being at least one pharmaceutically acceptable agent. Agents pharmaceutically effective to regulate at least one of the aforementioned blood parameters are used to adjust distribution of a substance through the bloodstream. For example, when blood viscosity is a blood flow parameter monitored, an agent is selected from i.v. diluents, red blood cell deformability agents, antiurea agents, oral contraceptives, antidiabetic agents, antiarrhythmics, antihypertensives, antihyperlipidemics, antiplatelet agents, appetite suppressants, antiobesity agents, blood modifiers, smoking deterrent agents, and nutritional supplements.

IT 147511-69-1, Pitavastatin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (apparatus and methods for monitoring blood viscosity and other parameters

in drug delivery for diagnostics and treatment)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

L8 ANSWER 4 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003:319495 CAPLUS

DOCUMENT NUMBER: 138:343864

TITLE: In vivo delivery methods and compositions

INVENTOR(S): Kensey, Kenneth

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 45 pp., Cont.-in-part of U.S.

Ser. No. 819,924. CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

PATENT NO.	KIND	DATE		PLICATION				
	A1 A A1 A2 AT, AU, A	20030424 20000201 19990304 19990304 .Z, BA, BB,	US US CA WO BG, BI	2001-839 1997-919 1998-230 1998-US3 R, BY, CA	9785 9906 91161 17657 A, CH,	CN,	20010 19970 19980 19980 CU, CZ,	828 < 826 < 826 < DE,
KP, KR, NO, NZ,	KZ, LC, L	K, LR, LS, O, RU, SD,	LT, L	U, LV, MI	O, MG,	MK,	MN, MW,	MX,
	AT, BE, C PT, SE, B	W, SD, SZ, H, CY, DE, F, BJ, CF,	DK, E	S, FI, F	R, GB,	GR,	IE, IT,	LU,
HU 2001000201 HU 2001000201	A2 A3	20010528 20040329	HU	2001-201	L		19980	826 <
NZ 502905 JP 2001514384 US 6322524 US 6322525 NO 2000000944	A T B1 B1 A	20010831 20010911 20011127 20011127 20000225	JP US US	1998-502 2000-503 1999-439 2000-503 2000-944	7994 9795 L856		19980 19991 20000	826 < 826 < 112 < 210 < 225 <
MX 200002073 US 6428488 WO 2002009583 WO 2002009583	A B1 A2 A3	20010821 20020806 20020207 20020425	MX US WO	2000-207 2000-619 2001-US2	73 5340 23696		20000 20000 20010	228 < 712 < 730 <
CO, CR, GM, HR, LS, LT, RO, RU, UZ, VN,	CU, CZ, D HU, ID, I LU, LV, M SD, SE, S YU, ZA, Z	T, AU, AZ, E, DK, DM, L, IN, IS, A, MD, MG, G, SI, SK, W, SZ, BE,	DZ, EG JP, KI MK, MI SL, TG CY, FI	C, EE, ES E, KG, KI N, MW, MS J, TM, TI R, GR, II	S, FI, P, KR, K, MZ, R, TT, E, IT,	GB, KZ, NO, TZ, MC,	GD, GE, LC, LK, NZ, PL, UA, UG, NL, BF,	GH, LR, PT, US,
WO 2002043806	A2			2001-US				127 <
WO 2002043806 W: AE, AG,	A3 AL, AM, A	20030327 T, AU, AZ,	BA, B	B, BG, BI	R, BY,	BZ,	CA, CH,	CN,
		E, DK, DM,						
LS, LT,	LU, LV, M	L, IN, IS, A, MD, MG,	MK, MI	N, MW, M	K, MZ,	NO,	NZ, PH,	PL,
PT, RO, UZ, VN,		E, SG, SI, W	SK, S	L, TJ, Tì	4, TR,	TT,	TZ, UA,	UG,
RW: GH, GM,	KE, LS, M	W, MZ, SD,			,		, ,	•
IE, IT,	LU, MC, N	M, AT, BE, L, PT, SE, E, SN, TD,	TR, B					
AU 2002026986 US 20020088953	A A1	20020611 20020711	AU	2002-269 2001-338				127 < 227 <
US 6624435 WO 2002079778	B2 A2	20030923 20021010	WO	2002-US	3984		20020	207 <
WO 2002079778 W: AE, AG,	A3 AL, AM, A	20030710 T, AU, AZ,	BA, B	B, BG, BI	R, BY,	BZ,	CA, CH,	CN,
		E, DK, DM, L, IN, IS,						
LS, LT,	LU, LV, M	A, MD, MG,	MK, MI	N, MW, M	ζ, MZ,	NO,	NZ, PH,	PL,
	RU, SD, S YU, ZA, Z	E, SG, SI, W	SK, S	L, TJ, Tì	4, TR,	TT,	TZ, UA,	UG,
RW: GH, GM,	KE, LS, M	W, MZ, SD,						
IE, IT,	LU, MC, N	M, AT, BE, L, PT, SE,	TR, B					
	ML, MR, N A1	E, SN, TD,		2002-156	5165		20020	528 <
US 20020184941	AI	20021212	US	2002-136	1100		20020	J20 \

US	1999-439795	Α2	19991112
US	2000-501856	Α2	20000210
US	2000-628401	Α2	20000801
US	2000-727950	В2	20001201
US	2001-819924	Α2	20010328
US	1997-966076	A	19971107
WO	1998-US17657	W	19980826
US	2000-615340	АЗ	20000712
US	2000-228612P	P	20000828
US	2001-789350	В2	20010221
US	2001-828761	A	20010409
US	2001-839785	A	20010420
US	2001-841389	Α	20010424
US	2001-897164	АЗ	20010702
WO	2001-US44352	W	20011127

 $\ensuremath{\mathsf{AB}}$ $\ensuremath{\mathsf{Various}}$ methods are provided for determining and utilizing the viscosity of the

circulating blood of a living being over a range of shear rates for diagnostics and treatment, such as detecting/reducing blood viscosity, work of the heart, contractility of the heart, for detecting/reducing the surface tension of the blood, for detecting plasma viscosity, for explaining/countering endothelial cell dysfunction, for providing high and low blood vessel wall shear stress data, red blood cell deformability data, lubricity of blood, and for treating different ailments such as peripheral arterial disease in combination with administering to a living being at least 1 drug. Agents effective to regulate at least 1 of the aforementioned blood parameters are used to adjust distribution of a substance through the bloodstream.


IT 147511-69-1, Pitavastatin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (in vivo delivery methods and compns.)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.



L8 ANSWER 5 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:428760 CAPLUS

DOCUMENT NUMBER: 137:24314

TITLE: Methods and apparatus for determining and utilizing

the viscosity of circulating blood over a range of

shear rates for diagnostics and treatment

INVENTOR(S): Kensey, Kenneth; Hokanson, Charles

PATENT ASSIGNEE(S): Visco Technologies, Inc., USA; Rheologics, Inc.

SOURCE: PCT Int. Appl., 98 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 8

PATENT INFORMATION:

PA.	TENT				KIND DATE		APPLICATION NO.						DATE				
	2002 2002	0438	06		A2 A3		2002 2003			WO 2	001-	us 4 4				0011	127 <
	W:	AE, CO, GM, LS, PT,	AG, CR, HR, LT, RO,	CU, HU, LU, RU,	CZ, ID, LV,	DE, IL, MA, SE,	AU, DK, IN, MD, SG,	AZ, DM, IS, MG,	DZ, JP, MK,	EC, KE, MN,	EE, KG, MW,	ES, KP, MX,	FI, KR, MZ,	GB, KZ, NO,	GD, LC, NZ,	GE, LK, PH,	GH, LR, PL,
	RW:	GH, KZ, IE,	GM, MD, IT,	KE, RU, LU,	LS, TJ, MC,	MW, TM, NL,	MZ, AT, PT, SN,	BE, SE,	CH, TR,	CY,	DE,	DK,	ES,	FΙ,	FR,	GB,	GR,
	2301 9910 W:	161 724 AL, DK, KP, NO,	AM, EE, KR, NZ,	AT, ES, KZ, PL,	A1 A2 AU, FI, LC, PT,	AZ, GB, LK, RO,	1999 1999 BA, GE, LR, RU,	0304 0304 BB, GH, LS,	BG, GM, LT,	HR, LU,	998- BY, HU, LV,	US17 CA, ID, MD,	657 CH, IL, MG,	IS, MK,	1 CU, JP, MN,	9980 CZ, KE, MW,	KG, MX,
	RW:	GH, TJ, MC,	GM, TM,	KE, AT, PT,	BE,	MW, CH,	SD, CY, BJ,	DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	ΙT,	LU,
HU NZ JP NO US US	2001 2001 5029 2001 2000 2002 2003 2002 Y APP	0002 0002 05 5143 0009 0061 0078 0269	01 01 84 44 835 517 86		A2 A3 A T A A1 A1		2001 2004 2001 2001 2000 2002 2003 2002	0329 0831 0911 0225 0523 0424		HU 2 NZ 1 JP 2 NO 2 US 2 US 2 AU 2 US 1 US 2	998- 000- 000- 001- 001- 002- 997-	5029 5079 944 8287 8397 2698 9660	94 61 85 6 76		1 1 2 2 2 2 2 2 A 1	9980 9980 0000 0010	127 < 107
AB Va:	rious	met	hods	are	pro	vide	d fo	r de		US 2 US 2 US 1 WO 1 US 1 US 2 US 2 WO 2	001- 001- 997- 998- 999- 000- 001-	8199 8287 8397 9199 US17 4397 5018 6284 US44	24 61 85 06 57 95 56 01 352		A 2 A 2 A 1 W 1 A2 1 A2 2 A2 2	0010 0010 0010 9970 9980 9991 0000 0011	328 409 420 828 826 112 210 801

AB Various methods are provided for determining and utilizing the viscosity of the

circulating blood of a living being over a range of shear rates for diagnostics and treatment, such as detecting/reducing blood viscosity, work of the heart, contractility of the heart, for detecting/reducing the surface tension of the blood, for detecting plasma viscosity, for explaining/countering endothelial cell dysfunction, for providing high and low blood vessel wall shear stress data, red blood cell deformability data, lubricity of blood, and for treating different ailments such as peripheral arterial disease in combination with administering to a living being at least one pharmaceutically acceptable agent. Agents pharmaceutically effective to regulate at least one of the aforementioned blood parameters are used to adjust distribution of a substance through the bloodstream.

IT 147511-69-1, Pitavastatin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (methods and apparatus for determining and utilizing the viscosity of circulating

blood over a range of shear rates for diagnostics and treatment) RN 147511-69-1 CAPLUS CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-

6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

L8 ANSWER 6 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:736927 CAPLUS

DOCUMENT NUMBER: 137:247879

TITLE: Preparation of antidiabetic agents C-aryl glucoside as

human SGLT2 inhibitors

INVENTOR(S): Ellsworth, Bruce; Washburn, William N.; Sher, Philip

M.; Wu, Gang; Meng, Wei

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 17 pp., Cont.-in-part of U.S.

6,414,126. CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT				KIN:		DATE		APPLICATION NO							ATE		
US 2002 US 6515	0137	903		A1		2002 2003			US 2						0020	520 <-	
CN 1896									CN 2	006-	1009	3199		2	0001	002	
US 6414						2007	-		US 2					_		002 004 <-	
ZA 2002	_								ZA 2						0020		
CA 2486									CA 2						0020		
WO 2003																	
	AE,																
***	•	,				•			EC,							•	
		,				•	•		KE,							•	
	•	•				•			MN,		•				•	•	
			•		,	•	•	•	SG,	•			•			•	
	•				•	•		•	ZA,	•	•	,	,	,	,	,	
RW:	GH,					•	•			•		ZM,	ZW,	AM,	AZ,	BY,	
						,			ВG,	,						•	
	FΙ,	FR,	GB,	GR,	HU,	ΙE,	IT,	LU,	MC,	NL,	PT,	RO,	SE,	SI,	SK,	TR,	
	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,	SN,	TD,	TG	
AU 2003	2378	86		A1		2003	1212		AU 2	003-	2378	86		2	0030.	515	
EP 1506	211			A1		2005	0216		EP 2	003-	7366	43		2	0030	515	
EP 1506	211			В1		2007	0207										
R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	ΙT,	LI,	LU,	NL,	SE,	MC,	PT,	
									CY, AL, TR, BG, CZ, E								
BR 2003	0113	23		A		2005	0315	.5 BR 2003-11323					20030515				

CN 1653075	А	20050810	CN	2003-811353		20030515
JP 2005531588	T	20051020	JP	2004-507493		20030515
AT 353334	T	20070215	AT	2003-736643		20030515
NZ 536605	A	20070531	NZ	2003-536605		20030515
ES 2280759	Т3	20070916	ES	2003-736643		20030515
CN 101092409	A	20071226	CN	2007-10108986		20030515
NO 2004004915	A	20041216	ИО	2004-4915		20041111
MX 2004PA11371	A	20050214	MX	2004-PA11371		20041116
IN 2004DN03573	A	20050401	IN	2004-DN3573		20041116
ZA 2004009295	A	20060222	ZA	2004-9295		20041118
HK 1068214	A1	20070824	HK	2005-101975		20050308
PRIORITY APPLN. INFO.:			US	1999-158773P	P	19991012
			US	2000-194615P	P	20000405
			US	2000-679027	A2	20001004
			CN	2000-816741	АЗ	20001002
			US	2002-151436	Α	20020520
			CN	2003-811353	АЗ	20030515
			WO	2003-US15591	W	20030515

GI

AΒ A SGLT2-inhibiting compound is provided having the formula I method is also provided for treating diabetes and related diseases employing a SGLT2-inhibiting amount of the above compound alone or in combination with another antidiabetic agent or other therapeutic agent (no data). 1A pharmaceutical combination comprising a SGLT2 inhibitor compound and an antidiabetic agent other than a SGLT2 inhibitor, for treating the complications of diabetes, an antiobesity agent, an antihypertensive agent, an antiplatelet agent, an antiatherosclerotic agent, and/or a lipid-lowering agent (no data). A method for treating or delaying the progression or onset of diabetes, diabetic retinopathy, diabetic neuropathy, diabetic nephropathy, delayed wound healing, insulin resistance, hyperglycemia, hyperinsulinemia, elevated blood levels of fatty acids or glycerol, hyperlipidemia, obesity, hypertriglyceridemia, Syndrome X, diabetic complications, atherosclerosis or hypertension, or for increasing high-d. lipoprotein levels, which comprises administering to a mammalian species in need of treatment a therapeutically effective amount of a compd (no data).

Ι

IT 141750-63-2, Nisvastatin


RL: BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(preparation of antidiabetic agents C-aryl glucosides as human SGLT2 inhibitors)

RN 141750-63-2 CAPLUS

CN 2H-Pyran-2-one, 6-[(1E)-2-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]ethenyl]tetrahydro-4-hydroxy-, (4R,6S)- (CA INDEX NAME)

Absolute stereochemistry. Double bond geometry as shown.



L8 ANSWER 7 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:392237 CAPLUS

DOCUMENT NUMBER: 136:401651

TITLE: Preparation of fused pyridine derivatives as HMG-CoA

reductase inhibitors

INVENTOR(S): Robl, Jeffrey A.; Chen, Bang-Chi; Sun, Chong-Qing

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 46 pp., Cont.-in-part of U.S.

Ser. No. 875,218.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

	PATENT NO.	KIND	DATE	API	PLICATION NO.		DATE	
						_		
	US 20020061901	A1	20020523	US	2001-8154		20011204	<
	US 6620821	В2	20030916					
	US 20020028826	A1	20020307	US	2001-875218		20010606	<
	US 20040024216	A1	20040205	US	2003-602753		20030624	
PRIO:	RITY APPLN. INFO.:			US	2000-211594P	P	20000615	
				US	2001-875218	A2	20010606	
				US	2001-8154	АЗ	20011204	
O MII TO	D COTIDATION	MADDAM	100 401051					

OTHER SOURCE(S): MARPAT 136:401651

GI

$$R^2$$
 R^2
 R^2

AB The title compds. I and their pharmaceutically acceptable salts, esters, prodrug esters, and stereoisomers are claimed [wherein: Z =

CH(OH)CH2CR7(OH)CH2CO2R3 or corresponding pyranone lactone derivs.; n = 0, 1; x = 0, 1, 2, 3, or 4; y = 0, 1, 2, 3 or 4, provided that at least one of x and y is other than $\hat{0}$; and optionally one or more carbons of (CH2)xand/or (CH2)y together with addnl. carbons form a 3 to 7 membered spirocyclic ring; R1, R2 = alkyl, arylalkyl, cycloalkyl, alkenyl, cycloalkenyl, aryl, heteroaryl, cycloheteroalkyl; R3 = H or lower alkyl; R4 = H, halo, CF3, OH, alkyl, alkoxy, CO2H, (un)substituted NH2, cyano, (un)substituted CONH2, etc.; R7 = H, alkyl]. The compds. are HMG-CoA reductase inhibitors, and are active in inhibiting cholesterol biosynthesis and modulating blood serum lipids, for example, lowering LDL cholesterol and/or increasing HDL cholesterol (no data). I are thus useful in treating hyperlipidemia and dyslipidemia, in hormone replacement therapy, and in treating hypercholesterolemia, hypertriglyceridemia and atherosclerosis, as well as Alzheimer's disease and osteoporosis. Prepns. of several compds. are described. For instance, a multistep synthesis of fused pyridine derivative II is reported. Compds. I may be used in a manner similar to atorvastatin, pravastatin, simvastatin, etc. Combinations of compds. I with various other drugs are claimed, the latter being specified as certain pharmacol. classes, as inhibitors of specific enzymes, as (ant)agonists of specific receptors, and as numerous named drugs.


IT 147511-69-1, Pitavastatin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (therapeutic compns. containing; preparation of fused pyridine derivs. as HMG-CoA reductase inhibitors)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.



L8 ANSWER 8 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:777650 CAPLUS

DOCUMENT NUMBER: 137:299910

TITLE: Therapeutic combinations containing COX-2 inhibitors

for cardiovascular and inflammatory diseases treatment

INVENTOR(S): Seibert, Karen; Keller, Bradley T.; Isakson, Peter C.;

Krul, Elaine S.

PATENT ASSIGNEE(S): Pharmacia Corporation, USA

SOURCE: PCT Int. Appl., 316 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002078626	A2	20021010	WO 2002-US9346	20020328 <

```
20040429
      WO 2002078626
                                  АЗ
           W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
                CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW
           RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
                 KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB,
                 GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA,
                 GN, GQ, GW, ML, MR, NE, SN, TD, TG
                                                         CA 2002-2442328
      CA 2442328
                                  Α1
                                          20021010
                                                                                        20020328 <--
      AU 2002255929
                                  Α1
                                          20021015
                                                         AU 2002-255929
                                                                                        20020328 <--
      US 20030199482
                                          20031023
                                                         US 2002-107809
                                                                                        20020328
                                  A 1
                                          20040714
                                                         EP 2002-725362
      EP 1435956
                                  A2
                                                                                        20020328
                AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
      CN 1527709
                                  Α
                                          20040908
                                                         CN 2002-810210
                                                                                        20020328
      JP 2005507854
                                                          JP 2002-576894
                                  Τ
                                          20050324
                                                                                        20020328
      MX 2003PA08835
                                                         MX 2003-PA8835
                                  Α
                                          20041206
                                                                                        20030929
      US 20040186154
                                          20040923
                                                         US 2004-473045
                                  A 1
                                                                                        20040506
PRIORITY APPLN. INFO.:
                                                          US 2001-279239P
                                                                                        20010328
                                                         WO 2002-US9346
```

AB The present invention provides therapeutic combinations and methods for treating or preventing a hypercholesterolemia-related or an inflammation-related condition in a subject in need of such treatment or prevention. One therapeutic combination comprises an ASBT inhibitor combined with COX-2 inhibitor. A further therapeutic combination comprises an ASBT inhibitor, a COX-2 inhibitor and an HMG Co-A reductase inhibitor. Another therapeutic combination comprises a chromene COX-2 inhibitor and an HMG Co-A reductase inhibitor. Thus, a tablet composition contained benzothiepine 5, celecoxib 20, lactose 54, microcryst. cellulose 15, HPMC 3, Croscarmellose sodium 2, and Mg stearate 1 mg/tablet.

IT 147511-69-1, Itavastatin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (therapeutic combinations containing COX-2 inhibitors for cardiovascular and inflammatory diseases treatment)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

L8 ANSWER 9 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2001:283949 CAPLUS

DOCUMENT NUMBER: 134:311218

TITLE: Synthesis and use of heterocyclic sodium/proton exchange inhibitors

INVENTOR(S): Ahmad, Saleem; Wu, Shung C.; O'Neil, Steven V.; Ngu,

Khehyong; Atwal, Karnail S.

PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA

SOURCE: PCT Int. Appl., 221 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

OTHER SOURCE(S):

GΙ

PA]	CENT		KINI)	DATE			APPL	ICAT	ION	NO.		D	ATE				
							2001			WO 2	000-	 US27	461		2	0001	002	<
WO	2001	0271	07		А3		2002	0124										
	W:	ΑE,	AG,	AL,	ΑM,	ΑT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,	
		CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EE,	ES,	FΙ,	GB,	GD,	GE,	GH,	GM,	HR,	
		•					JP,											
		•					MK,					•	•					
					SI,	SK,	SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VN,	
			ZA,															
	RW:						MZ,											
			DK,	ES,	FΙ,	FR,	GB,	GR,	IE,	ΙΤ,	LU,	MC,	ΝL,	PT,	SE,	BF,	BJ,	
			CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	ΤG	_			
	6887				B1		2005	0503		US 2	000-	6692	98		2	0000	925	
_	2388	-			AI		2001	0419		CA 2	:000-	2388	813		2	0001	002	<
CF, CG, CI US 6887870 CA 2388813 EP 1224183 EP 1224183				AZ D1		2002	1 2 2 0		EP Z	:000-	968/	23		2	0001	002	<	
EP			DE	CII	BI	DIZ	Z005	1778	CD	CD	TT	т т	т тт	NIT	C E	MC	DT	
	K:						ES,				ΙΙ,	ш⊥,	LU,	ИL,	SE,	MC,	PI,	
BB	2000						2003				000-	1472	5		2	0001	002	
	2003						2003				:003-					0001		
	2003						2003				.005	130			_	0001	002	
	2003						2003			JP 2	001-	5303	25		2	0001	002	
NZ	5176	68					2004				000-					0001		
ΑT	3143	64			T		2006			AT 2	000-	9687	23		2	0001	002	
ES	2254	236			Т3		2006	0616		ES 2	000-	9687	23		2	0001	002	
IN	2002	0 0 MM	354		A		2005	0318			002-					0020	322	
ZA	2002	0024	79		A		2004	0727			002-					0020	327	
MX	2002	PA03	626		А		2003	0922			002-				2	0020	410	
	2002				A		2002				002-					0020		<
	2005		216		A1		2005			US 2	005-	4699	3		2	0050	131	
	7326				В2		2008	0205										
RITY	Z APP	LN.	INFO	.:						US 1	999-	1587	55P		P 1	9991	012	
										US 2	000-	6692	98		A3 2	0000	925	
);;DQE	. ~ `					104	0440		wo 2	:000-	us27	461		w 2	0001	002	
D 00		(0)																

AB Compds. of formula I [wherein; n is 1-5; X is N or CR5, where R5 is H, halo, alkenyl, alkynyl, alkoxy, alkyl, aryl or heteroaryl; Z is a heteroaryl group; R1 is H, alk(en)(yn)yl, alk(enyl)(ynyl)oxy, (aryl or alkyl)3Si, cycloalk(en)yl, (aryl)amino, aryl(alkyl), cycloheteroaryl, etc.; R2, R3 and R4 are any of the groups set out for R1 and optionally

MARPAT 134:311218

substituted with 1 to 5 substituents which may be the same or different and when X is N, R1 is preferably aryl or heteroaryl] are claimed. Several hundred examples are disclosed. Synthesis of II proceeds via cyclopropanation of the cinnamate derived from the olefination between 3,5-dichlorobenzaldehyde and t-butyldiethylphosphonoacetate. intermediate tert-Bu ester is converted to the corresponding lpha-chloroketone and reacted with acetyl guanidine to provide II in a total of 5 steps. Compds. I are said to be sodium/proton exchange inhibitors (NHE). Pharmaceutical combinations are claimed using I and certain antihypertensive agents, β -adrenergic agonists, hypolipidemic agents, antidiabetic agents, antiobesity agents, etc. Compds. I are useful as antianginal and cardioprotective agents and provide a method for preventing or treating angina pectoris, cardiac dysfunction, myocardial necrosis, and arrhythmia.

147511-69-1, Itavastatin ΤТ

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(pharmaceuticals containing; synthesis and use of heterocyclic sodium/proton exchange inhibitors)

RN 147511-69-1 CAPLUS

6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-CN dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

ANSWER 10 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:744783 CAPLUS

DOCUMENT NUMBER: 138:297319

TITLE: The effect of statins on mRNA levels of genes related

to inflammation, coagulation, and vascular

constriction in HUVEC

AUTHOR(S):

Morikawa, Shigeru; Takabe, Wakako; Mataki, Chikage; Kanke, Toru; Itoh, Takahiro; Wada, Youichiro; Izumi, Akashi; Saito, Yasushi; Hamakubo, Takao; Kodama,

Tatsuhiko

CORPORATE SOURCE: Departments of Molecular Biology and Medicine,

Research Center for Advanced Science and Technology,

University of Tokyo, Tokyo, Japan

SOURCE: Journal of Atherosclerosis and Thrombosis (

2002), 9(4), 178-183

CODEN: JATHEH; ISSN: 1340-3478

PUBLISHER: Japan Atherosclerosis Society

DOCUMENT TYPE: Journal LANGUAGE: English

AΒ Large-scale clin. trials have demonstrated significant redns. in cardiovascular events following statin therapy. The observed benefit of statin therapy, however, may be greater in these trials than is to be

expected from lowering lipid levels alone. In order to clarify the mechanism by which statins prevent cardiovascular events in vascular wall cells, we investigated the changes in gene expression profiles after incubation with atorvastatin or pitavastatin in cultured human umbilical vein endothelial cells using DNA microarrays. Statins affected the expression levels of genes involved in inflammation, coagulation, and vascular constriction. The mRNA levels for interleukin-8 (IL-8) and monocyte chemoattractant protein-1 (MCP-1) decreased after statin treatment. Statins reduced mRNA levels of plasminogen activator inhibitor-1 (PAI-1) and increased the mRNA levels of thrombomodulin. Statins reduced the mRNA levels of endothelin-1 and increased the mRNA levels of nitric oxide synthase-3 (eNOS). These results show that, statins are clin. effective because of their ability to change the gene expression profile of endothelial cells thereby preventing vascular events.

IT 147511-69-1, Pitavastatin

RL: DMA (Drug mechanism of action); BIOL (Biological study) (effect of statins on mRNA levels of genes related to inflammation, coagulation, and vascular constriction in HUVEC)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

REFERENCE COUNT: 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 11 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003:1007596 CAPLUS

DOCUMENT NUMBER: 140:65183

TITLE: Oil-containing, orally administrable pharmaceutical

composition for improved delivery of a therapeutic agent

INVENTOR(S): Chen, Feng-Jing; Patel, Mahesh V.

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 39 pp., Cont.-in-part of U.S.

Pat. Appl. 2002 32,171.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 13

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20030235595	A1	20031225	US 2003-397969	20030325
US 6267985	B1	20010731	US 1999-345615	19990630 <
US 6309663	В1	20011030	US 1999-375636	19990817 <

```
US 20010024658
                                   20010927
                                               US 2000-751968
                            Α1
                                                                         20001229 <--
     US 6458383
                                   20021001
                            В2
     US 20020032171
                            Α1
                                   20020314
                                               US 2001-877541
                                                                         20010608 <--
     US 6761903
                            В2
                                   20040713
     WO 2004087052
                                   20041014
                                               WO 2004-US9120
                                                                         20040325
                            Α2
     WO 2004087052
                            АЗ
                                   20041118
              AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
              CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
              GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
              LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
              NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
              TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ,
              BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
              SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
PRIORITY APPLN. INFO.:
                                                US 1999-345615
                                                                     A2 19990630
                                                                     A2 19990817
                                                US 1999-375636
                                                US 2000-751968
                                                                     A2 20001229
                                                US 2001-877541
                                                                     A2 20010608
                                                WO 2000-US18807
                                                                     A 20000710
                                                US 2003-397969
                                                                     A 20030325
```

AB The present invention relates to oral pharmaceutical compns. and methods for improved delivery of therapeutic agents, e.g., lipid-regulating agents. Compns. of the present invention include a carrier, where the carrier contains a combination of a triglyceride and at least two surfactants, at least one of which is hydrophilic. Upon dilution with an aqueous

 $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

pertains to methods for treating lipid disorders such as hypercholesterolemia, hypertriglyceridemia, and mixed dyslipidemia by oral administration of the compns. provided.

IT 147511-69-1, Pitavastatin

RL: PEP (Physical, engineering or chemical process); PYP (Physical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)

(oral composition containing trigly ceride and surfactants for improved delivery $% \left(1\right) =\left(1\right) +\left(1\right) +\left$

of hydrophobic drugs)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

ACCESSION NUMBER: 2002:927184 CAPLUS

DOCUMENT NUMBER: 138:14048

TITLE: Preparation of oxazolylethoxyphenylprolines and related compounds as antidiabetic and antiobesity

agents.

INVENTOR(S): Cheng, Peter T.; Jeon, Yoon; Wang, Wei

PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA

SOURCE: PCT Int. Appl., 107 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

GΙ

PAT	PATENT NO.									APP:	LICAT	D.						
	2002096357 2002096357			A2 20021205				WO :	2002-	20020523 <-								
	₩:	AE, CO, GM, LS, PL, UA, GH,	AG, CR, HR, LT, PT, UG, GM,	AL, CU, HU, LU, RO, US, KE,	AM, CZ, ID, LV, RU, UZ, LS,	AT, DE, IL, MA, SD, VN, MW,	AU, DK, IN, MD, SE, YU, MZ,	AZ, DM, IS, MG, SG, ZA, SD,	BA, DZ, JP, MK, SI, ZM, SL,	EC KE MN SK ZW SZ	, BG, , EE, , KG, , MW, , SL,	ES, KP, MX, TJ, UG,	FI, KR, MZ, TM,	GB, KZ, NO, TN,	GD, LC, NZ, TR,	GE, LK, OM, TT,	GH, LR, PH, TZ,	
		GN, 0092	GQ, 697	GW,	ML, A1	MR,	NE, 2003	SN, 0515	TD,	ΤG	, BF, 2002-	•	·			·	·	
CA AU		006 3101	41		A1 A1		2002	1205 1209		AU :	2002- 2002- 2002-	3101	41		2	0020	523	
JP HU	R: 2005 2006 2006	AT, IE, 5069 0002 0189	BE, SI, 54 26 598	CH, LT,	DE, LV, T A2	DK, FI,	ES, RO, 2005 2006	FR, MK, 0310 1128	GB, CY,	GR AL JP HU US US US	, IT,	LI, 5928 226 4067 2945 1533	LU, 70 99 05P 42	NL,	SE, 2 2 2 2 P 2 A3 2	MC, 0020: 0020: 0060: 0010: 0020:	PT, 523 523 419 530 522	
THER SO	OURCE	(S):			MAR:	PAT	138:	1404			2002	0010	020			0020	020	

$$R^{2}$$
?
 R^{2} ?
 R^{2} ?
 R^{2} ?
 R^{2}
 R^{2}

Me CO₂H N O Ph

AB Title compds. [I; m, n = 0-2; Q = C, N; A = (CH2)x, (CH2)x1, with an

Ι

alkenyl or alkynyl bond in the chain, (CH2)x20(CH2)x3; x = 1-5; x1 = 2-5; x2, x3 = 0-5; provided that ≥ 1 of x2 and $x3 \neq 0$; X1 = CH, N; X2 = C, N, O, S; X3 = C, N; X4 = C, N, O, S provided that ≥ 1 of X2, X3, X4 = N; in each of X1-X4, C may include CH; R1 = H, alkyl; R2 = H, alkyl, alkoxy, halo, (substituted) amino; R2a, R2b R2c = H, alkyl, alkoxy, halo, (substituted) amino; R3 = H, alkyl, arylalkyl, aryloxycarbonyl, alkyloxycarbonyl, alkynyloxycarbonyl, alkenyloxycarbonyl, arylcarbonyl, alkylcarbonyl, aryl, heteroaryl, cycloheteroalkyl, heteroarylcarbonyl, heteroarylheteroarylalkyl, alkylcarbonylamino, arylcarbonylamino, heteroarylcarbonylamino, alkoxycarbonylamino, aryloxycarbonylamino, heteroaryloxycarbonylamino, heteroarylheteroarylcarbonyl, alkylsulfonyl, alkenylsulfonyl, heteroaryloxycarbonyl, cycloheteroalkyloxycarbonyl, aryloxyheteroarylalkyl, heteroarylalkyloxyarylalkyl, arylarylalkyl, arylalkenylarylalkyl, arylaminoarylalkyl, etc.; Y = CO2R4, 1-tetrazolyl, P(0)(OR4a)R5, P(0)(OR4a)2; R4 = H, alkyl, prodrug ester; R4a = H, prodrug ester; R5 = alkyl, aryl; Z = (CH2)x4, (CH2)x5, (CH2)x60(CH2)x7; x4 = 1-5; x5 = 2-5; x6, x7 = 0-4], were prepared as antidiabetic and antiobesity agents (no data). Thus, the title compound (II) was prepared in 6 steps. 147511-69-1

compds. as antidiabetic and antiobesity agents)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

L8 ANSWER 13 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:540258 CAPLUS

DOCUMENT NUMBER: 137:109267

TITLE: Preparation of benzoxepinopyridines as HMG-CoA

reductase inhibitors

INVENTOR(S): Robl, Jeffrey A.; Chen, Bang-chi; Sun, Chong-qing

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 42 pp., Cont.-in-part of U.S.

Ser. No. 875,155.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE			
US 20020094977 US 6627636	A1 B2	20020718 20030930	US 2001-7407	20011204 <			

US 20020013334 A1 20020131 US 2001-875155 20010606 <-PRIORITY APPLN. INFO:: US 2000-211595P P 20000615

US 2001-875155 A2 20010606

OTHER SOURCE(S): MARPAT 137:109267

GΙ

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [X = 0, S, S0, S02, NR7; Z = HOCHCH2CH(OH)CH2CO2R3, 4-hydroxy-2-oxopyran-6-yl, etc.; n = 0, 1; R1, R2 = alkyl, arylalkyl, cycloalkyl, alkenyl, cycloalkenyl, aryl, heteroaryl, cycloheteroalkyl; R3 = H, alkyl, metal ion; R4 = H, halo, CF3, etc.; R7 = H, alkyl, aryl, alkanoyl, aroyl, alkoxycarbonyl, etc.; R9, R10 = H, alkyl], were prepared as HMG CoA reductase inhibitors active in inhibiting cholesterol biosynthesis, modulating blood serum lipids such as lowering LDL cholesterol and/or increasing HDl cholesterol, and treating hyperlipidemia, hypercholesterolemia, hypertriglyceridemia, and atherosclerosis (no data). A multistep synthesis of II is reported.

IT 147511-69-1, Pitavastatin

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)


(coadministered agents; preparation of benzoxepinopyridines as HMG-CoA reductase inhibitors for treatment of hyperlipidemia,

hypercholesterolemia, hypertriglyceridemia, atherosclerosis, and other disorders)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.



L8 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:392331 CAPLUS

DOCUMENT NUMBER: 140:406798

TITLE: Preparation of benzoxepinopyridines as HMG-CoA

reductase inhibitors

INVENTOR(S): Robl, Jeffrey A.; Chen, Bang-chi; Sun, Chong-qing

PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA

SOURCE: U.S. Pat. Appl. Publ., 44 pp., Cont.-in-part of U.S.

Ser. No. 875,155, abandoned.

CODEN: USXXCO

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE				
US 20040092573	A1	20040513	IS 2003-602752		20030624			
US 6812345	В2	20041102						
US 20020013334	A1	20020131	JS 2001-875155		20010606 <-			
PRIORITY APPLN. INFO.:			IS 2000-211595P	P	20000615			
			IS 2001-875155	В2	20010606			
OTHER SOURCE(S): GI	MARPAT	140:406798						

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [X = 0, S, S0, S02, NR7; Z = HOCHCH2CH(OH)CH2CO2R3, 4-hydroxy-2-oxopyran-6-yl, etc.; n = 0, 1; R1, R2 = alkyl, arylalkyl, cycloalkyl, alkenyl, cycloalkenyl, aryl, heteroaryl, cycloheteroalkyl; R3 = H, alkyl, metal ion; R4 = H, halo, CF3, etc.; R7 = H, alkyl, aryl, alkanoyl, aroyl, alkoxycarbonyl, etc.; R9, R10 = H, alkyl], were prepared as HMG CoA reductase inhibitors active in inhibiting cholesterol biosynthesis, modulating blood serum lipids such as lowering LDL cholesterol and/or increasing HDL cholesterol, and treating hyperlipidemia, hypercholesterolemia, hypertriglyceridemia and atherosclerosis (no data). A multistep synthesis of II is reported.

IT 147511-69-1, Pitavastatin

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(coadministered agents; preparation of benzoxepinopyridines as ${\tt HMG-CoA}$ reductase inhibitors for treatment of hyperlipidemia,

hypercholesterolemia, hypertrigly $\operatorname{ceridemia}$, atherosclerosis, and other disorders)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.

REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 15 OF 15 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:777648 CAPLUS

DOCUMENT NUMBER: 137:257659

TITLE: Therapeutic combinations for cardiovascular and

inflammatory indications

INVENTOR(S): Seibert, Karen; Keller, Bradley T.; Isakson, Peter C.

PATENT ASSIGNEE(S): Pharmacia Corporation, USA

SOURCE: PCT Int. Appl., 107 pp.

CODEN: PIXXD2

DOCUMENT TYPE:
LANGUAGE:

Patent English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PA'	ATENT NO.					KIND DATE				APPL	ICAT	ION :		DATE				
					A2 20021010 A3 20030313			,	WO 2	002-	US91	20020327 <						
WO	0 2002078625				_										~ =	~	~	
	₩:						ΑU,											
		CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EE,	ES,	FΙ,	GB,	GD,	GE,	GH,	GM,	HR,	
		ΗU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	ΚΡ,	KR,	KΖ,	LC,	LK,	LR,	LS,	LT,	
		LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NO,	NΖ,	OM,	PH,	PL,	PT,	
		RO,	RU,	SD,	SE,	SG,	SI,	SK,	SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	
		UΖ,	VN,	YU,	ZA,	ZW												
	RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZM,	ZW,	AT,	BE,	CH,	
		CY,	DE,	DK,	ES,	FΙ,	FR,	GB,	GR,	ΙE,	ΙΤ,	LU,	MC,	NL,	PT,	SE,	TR,	
		BF,	ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	GQ,	GW,	ML,	MR,	ΝE,	SN,	TD,	ΤG	
AU	2002	3068	68		A1		2002	1015	AU 2002-306868					20020327 <				
US	US 20030199482				A1		2003	1023	US 2002-107809					20020328				
CN	CN 1527709				Α		2004	0908	CN 2002-810210					20020328				
PRIORIT	Y APP	LN.	INFO	. :					•	US 2	001-	2792	39P	-	P 2	0010	328	
									,	WO 2	002-	US91	85	1	W 2	0020	327	

AB The invention provides therapeutic combinations and methods for treating or preventing a hypercholesterolemia-related or an inflammation-related condition in a subject in need of such treatment or prevention. One therapeutic combination comprises an Apical Sodium codependent Bile acid Transport (ASBT) inhibitor combined with COX-2 inhibitor. A further therapeutic combination comprises an ASBT inhibitor, a COX-2 inhibitor and an HMG Co-A reductase inhibitor. Another therapeutic combination comprises a chromene COX-2 inhibitor and an HMG Co-A reductase inhibitor.

IT 147511-69-1, Itavastatin

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(HMG CoA reductase, cyclooxygenase and sodium codependent bile acid transport inhibitors for cardiovascular and inflammatory diseases in humans)

RN 147511-69-1 CAPLUS

CN 6-Heptenoic acid, 7-[2-cyclopropyl-4-(4-fluorophenyl)-3-quinolinyl]-3,5-dihydroxy-, (3R,5S,6E)- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+). Double bond geometry as shown.